

# A CUBE TIC GROUP OF COMPANIES

Logos Regulation - Management Systems

*Requirements for the use of certification and accreditation logos*  
**Issue Marks A.2 - Date 01.09.2025**

**1**

**ACT LOGOS**

---

**2**

**ACCREDITATION LOGOS**

---

**3**

**AJA EXCELLENCES**

# PREMISE

In congratulating you on obtaining your Management System Certification, we would like to remind you that achieving certification allows you to use the logos (including the logo of the Accreditation Body) and the certificate, as described in the rules below.

The observance of the following rules and the correctness of the references to certification are subject to control during visits and renewal visits to your organisation by the audit team. Improper and/or incorrect use of the certificate and logos may lead to suspension of the certificate.

In case of doubt, please contact our offices:

**The Certification Manager is available for further information and clarification.**





# ACT LOGOS

# ALL CUSTOMERS RECEIVE THE SPECIFIC LOGO OF THE STANDARD UNDER WHICH THE ORGANIZATION IS CERTIFIED.

*(ISO 9001:2015, ISO 50001:2018, X-SAFE, ECC.)*

## USE OF THE LOGO IS VOLUNTARY

*In case of suspension or withdrawal of the certificate it is prohibited to use the certificate and logo ACT and any reference to the certification.*



*The colours must correspond to those in the files provided. It is possible to reproduce the logos in a monochrome version whenever the material is printed in only one colour.*

- Advertising material, company website, exhibition stands;
- Company brochures, presentations;
- Company signage;
- Letterheads, business cards;
- Company vehicles

# EXAMPLES OF LOGO APPLICATION ACT

# ACME

INDUSTRIES

El id quunte magnam quidiscient.

Menis as quaiatur, eumentum sumquisque dolor voluptas si cum, sum destis verferatenti quo volora con ratiurio. Nam facilitio quiscilla suntur?

Elenimusae pel maiorio. Equibus et mil eost volore, ventis inum iderum il idelitate nis rem quasima gnatur restiuntium alit fugiatae plab id molendi tibusti autatem et dundebist, quist, qui cus, consequias ea si sint et lacid et la sin poruptatis dis et reperoviditi voluptatur? Qui ditat ad es eate vent officiet endis et as et qui dollaut excerov itatus doluptiis ent.

Erum nonserehenis secum eum quiaie sunture nonse od explatemquas audandiam, od excescid quosa qui nulpalum aspiciat pelenis ea dolorum quiaspidi cores audis et alit volenda eribustis remporepudi dolorib usandel luptibus a delit omnihit, seque periat.

Ipsiumquam ipsum volorro qui voluptas unt venimporest, quiaie volestrum quas rem est utet aut volende nrat atus volupta tioneae excepra voluptur? Quia pro mos excerae cestrum quis eossi blaboreperum sequi doles res nobis am, te nestem fugiti a serum estotae nobit faces aut etureptatur? Gitatus et re culparunto teseque rem corrovit remquis tiissime et faccae ea dunt dolorporit et volo quis que simod mod ullacep tatque doloratur aut dolupta dolor aliqui nessi cora pro iducien ditibust, vellandamus moloressum nim eum fuga. Dus, ullacia quodi cum il mosam nam nonse velitat ibusda cone modis eat quatur a dolor re endit laut labo. Um ut esciusda int harum rectotaquos eaturia quas et aut aut ex eaue nissitae modionsed quam recaesc illaccus eosa volo corrum re rem eossequunte sam laci officiatis doluptae pe volut derum, omniatio mod ex eum verferro con refereptur, quatati onsendit amus, que preniende ped que comnis et ex expligent.

Vendit, quiaie inciur modi quis et occus moleseq uaeped quatur autatur? Hentis vero escimil luptae. Rit, aperciisin consecest aut aut incid enis quiaspelibus et vernat.

Hent, tem reium cus dioreped quis eum aceatist accum incime vidunt fuga. Et etus net asperum num latur aut et aliquiatias a vendusc iument et dolupta vendelectet vendeles etur solorum volorro viducii ssunt omnistio. Ut laborat usandi odi tet fugiatistis nimpere hendis exces ulluptat eatquam aspe omnihic ilibust andi ommos sequodi beritib ustotas incius mintios maioratia ipsum venducid magnatur? Aquianis repello rerrum ut quatume volor ariassit hil estia conem. Optior modignis venieni iunt, sit moluptam, occum faci unt modit eium evelent elissus dolorpo resciae quis quis aperepre, simos aut aut veror magnissin natibus eliquis tempor am volupta tustiis dolenienis quasi quistum acernam quos et aspersp ienimus mi, cus, omnim volorem posandiate renimil iur, sum acest harumque od ut antotae cusci que nimosam volupti ditatem repe dolupiet perum harchil igendi ut modit pa sintis vel es alit, nest mintotaturit deroressed molorum quoditatem es il ium, cullabo riorum ent eos ex eos sus eum quibust rundisi andene exped quibus sin cus, veris dignihicia si iuntem. Edi rere es sita vit earchillis experchiliae velique rempost, sam volo diaturit quae et ernam doluptur si conserc iendici enditae pres arum verspedipsae cum ulliquo magnihi llaborem volorumqui blacianimus rerumet aut pratiis simincium doluptat as

## ACME INDUSTRIES SPA

Indirizzo, Città, Cap  
P.I. 0000000000  
T: 0000000000  
E: nome@acme.com  
W: www.acme.com



Cert. no. xx/xxxx

ne exped quibus sin cus, veris  
rchiliae velique rempost, sam volo  
ditae pres arum verspedipsae cum  
umet aut pratiis simincium doluptat as



Cert. no. xx/xxxx

**IN ORDER TO USE  
THE LOGO, IT IS  
NECESSARY TO  
PAY ATTENTION TO  
THE FOLLOWING  
REQUIREMENTS**



- It must be clear that the certification relates exclusively to the certified management system and that it is not a product certification
- The standard applicable to the Certified Management System must be reported
- You can check the validity of your certificate using the IAF Cert Search, the worldwide certification database, which only includes valid certificates issued by a certification body accredited by an IAF MLA signatory accreditation body (<https://www.iafcertsearch.org/>).
- Certificates issued under UKAS (<https://certcheck.ukas.com/>) or Accredia accreditation ([https://services.accredia.it/ppsearch/accredia\\_companymask\\_remote.jsp?ID\\_LINK=1739&area=310](https://services.accredia.it/ppsearch/accredia_companymask_remote.jsp?ID_LINK=1739&area=310)) also have an additional link to the list of certified companies on their institutional website.

THE LOGO  
**CANNOT BE**  
REPRODUCED

- Altering the proportions or separating the components
- On products or their packaging, both internally and externally, either inside or outside the accompanying information, including labels and booklets with explanations of use
- On laboratory or inspection reports
- On material relating to products/services/production sites that are not covered by the certification purpose
- On any attestations or certificates of qualification and/or competence issued by the client organisation

IN ANY OTHER FORM that could be interpreted as a product certification.



# EXAMPLE USE OF **ACT** LOGOS

RECOMMENDED

COMPANY NAME



COMPANY NAME



COMPANY NAME



FORBIDDEN

COMPANY NAME  
Analysis Report Laboratory XX



# EXAMPLE USE OF **ACT** LOGOS

ISO 9001:2015  
QUALITY MANAGEMENT SYSTEM CERTIFICATION



PANTONE  
**367 C**

C: **42 %** Y: **67 %**  
M: **0 %** K: **0 %**



PANTONE  
**COOL GRAY 7C**

C: **20 %** Y: **11 %**  
M: **15 %** K: **40 %**

FOR THE OTHER STANDARDS  
ONLY THE INDICATION OF THE STANDARD CHANGES

Environmental Management

ISO 14001 : 2015

Medical Device Quality

ISO 13485 : 2016

Food Safety

ISO 22000 : 2018

Information Security

ISO 27001 : 2022

Workers' Health and Safety

ISO 45001 : 2018

2

# ACCREDITATION LOGOS



## **UKAS**

NATIONAL ACCREDITATION

LOGO AND SYMBOL: CONDITION FOR USE

**FEBRUARY 2024**

## **UAF**

GENERAL RULES AND CONDITIONS FOR USE OF MARK

**31.05.2024**

## **ACCREDIA**

RG-09 REGOLAMENTO PER L'UTILIZZO DEL LOGO DEL MARCHIO ACCREDIA

**REV. 12 DEL 16.04.24 - EC 28.01.25**

## **EA-3/01 M:2025 - EA**

CONDITIONS FOR THE USE OF ACCREDITATION SYMBOLS, LOGOS AND OTHER CLAIMS  
OF ACCREDITATION AND REFERENCE TO THE EA MLA SIGNATORY STATUS

## **IAF ML 2:2023**

GENERAL PRINCIPLES ON THE USE OF THE IAF MLA MARK

# USE OF ACCREDITATION LOGOS BY ACCREDITED BODIES ON CERTIFICATES ISSUED



0273



CB - MS - 5815



00998

# USE OF ACCREDITATION LOGOS BY CERTIFIED ORGANISATIONS

FOR CERTIFICATIONS ISSUED UNDER  
ACCREDITATION, IT IS PERMITTED THE USE  
OF THE LOGO OF THE ACCREDITATION BODY  
BUT ONLY IN CONJUNCTION WITH THE A  
CUBE TIC LOGO



**IN ORDER TO USE  
THE LOGO, IT IS  
NECESSARY TO  
PAY ATTENTION  
TO THE  
FOLLOWING  
REQUIREMENT**

- The logo of the Accreditation Body must always appear alongside the ACT logo
- The Accreditation logo must show the accreditation number of ACT if present in the submitted file ( e.g. UKAS 0273 )
- Between the ACT logo and the Accreditation Body logo no other elements can be inserted
- The ACT and accreditation logos must be reproduced using the same height, if enlarged or reduced they must retain the same proportions and remain readable
- **IT IS FORBIDDEN** to use the Accreditation Body Logo, even together with that of ACT, on any technical documentation that may be associated with the product, when the organisation has a certified Management System (e.g.: declarations of conformity for the purposes of CE marking test certificates, etc.).

THE LOGO  
**CANNOT BE**  
REPRODUCED

- In any form that may be interpreted as a direct approval of the client organisation by the accreditation body
- In any form that may be interpreted as an approval of the national authority supervising the accreditation body.

2

# SPECIFIC REQUIREMENTS FOR UKAS LOGO



- The reference height of the logo for an A4 sheet is 30 mm *dimensions may vary proportionally depending on the size of the printing surfaces*
- The logo may not be less than 20 mm high (excluding the accreditation number which will be adjusted proportionally) *exceptions to this measure are possible in exceptional cases, but the logo must be legible throughout*
- The UKAS logo shall **NOT** be reproduced on vehicles and flags
- The UKAS logo shall **NOT BE APPLIED** to laboratory test, calibration, or inspection reports

- *UKAS marks may only be used by A Cube Tic clients in connection with the issue of UKAS accredited certification and in conjunction with the A Cube Tic's mark.* UKAS marks may only be used by A Cube Tic clients in connection with the issue of UKAS accredited certification and in conjunction with the A Cube Tic's mark, as shown in the example. Holders of certificates issued by A Cube Tic may use the appropriate national accreditation mark on stationery and publicity material. For the purposes of these conditions the term 'publicity material' shall not include notices, labels, documents, or written announcements affixed to or otherwise appearing on goods or products unless the goods or products. This restriction shall also apply to primary (Example blister packs) packaging and promotional products. The terms 'publicity material' and 'advertisements' shall not include notices, labels, documents or written announcements affixed to.
- The certified company *may use* a statement without applying the logo, such as "Organization with certified management system (e.g., quality, environment)," the name of the accredited body, and the applicable standard.



# UKAS LOGO USE EXAMPLE

# RECOMMENDED



Cert. no. xx/xxxx



Cert. no. xx/xxxx

# FORBIDDEN



COMPANY NAME





# **SPECIFIC REQUIREMENTS FOR **UAF** LOGO**

- *UAF marks may only be used by A Cube Tic clients in connection with the issue of UAF accredited certification and in conjunction with the A Cube Tic's mark.* Holders of certificates issued by A Cube Tic may use the appropriate national accreditation mark on stationery and publicity material. For the purposes of these conditions the term 'publicity material' shall not include notices, labels, documents, or written announcements affixed to or otherwise appearing on goods or products unless the goods or products. This restriction shall also apply to primary (Example blister packs) packaging and promotional products. The terms 'publicity material' and 'advertisements' shall not include notices, labels, documents or written announcements affixed to or otherwise appearing on the vehicles or flags.
- The UAF logo may **NOT BE APPLIED** to laboratory test, calibration, or inspection reports
- **SIZE:** When the A Cube Tic /UAF mark is printed on an unfolded portion of stationery sized no greater than A4, UAF symbol shall normally have a minimum height of 10 mm and minimum width of 15mm. Any enlargement if necessary, provided that the original proportion between the height and width of the symbol will not be affected and the symbol remains legible. magnifying glasses). The Symbol shall not be displayed in a more prominent way than the logo of the A Cube TIC Limited.
- **INFORMATION FOR FULL COLOUR REPRODUCTION OF ACCREDITATION LOGO AND SYMBOLS:**  
The Symbol shall be displayed only in the appropriate form and colour as demonstrated on page 19 of this file. The Symbol may be used in the defined colours or black and white colours provided that the conditions set out in this document are fulfilled.

2

**UAF** LOGO  
USE EXAMPLE

RECOMMENDED



Cert. no. xx/xxxx



Cert. no. xx/xxxx

FORBIDDEN



ISO 27001 : 2022  
Cert. no. xx/xxxx

COMPANY NAME



CB - MS - 5815



2

# **SPECIFIC REQUIREMENTS FOR ACCREDIA**

Issue Marks A.2 - Date 01.09.2025

- The ACCREDIA mark MUST be positioned to the right of, and **NOT** larger than, the body mark. The dimensions may vary proportionally to the size of the printed area. The minimum size must not be less than 20 mm.
- The Accredia mark **SHALL NOT** include the accreditation number of the body.
- The certified company must **NEVER** use the ACCREDIA Logo separately from the ACT Logo
- The certified company must **NEVER** use the ACCREDIA Logo in a way that implies ACCREDIA has certified or approved the company's management system, or in any other **misleading manner**
- The certified company may use a statement without applying the logo, such as "Organization with certified management system (e.g., quality, environment)," the name of the accredited body, and the applicable standard

- The certified company may not use the ACCREDIA mark on its staff's business cards.
- The use of the ACCREDIA Logo, in conjunction with the ACT Logo, **is allowed** on letterhead and general documents (excluding any technical documentation related to the manufactured products or on assets and instrumental means used for the implementation of processes within the scope of the certified management system (such as commercial vehicles, buildings, lab coats, work overalls, and similar items), except for objects that are subject to specific certification, especially if mandatory or regulated (machinery, equipment, personal protective devices, etc.).
- For use on assets and instrumental means, the combination of the two Logos must be accompanied by the addition of a statement such as "Organization with certified management system (e.g., quality, environment)," the name of the CAB (Certification Accreditation Body), and the applicable standard.

# RECOMMENDED



5 MM

Minimum size for printing  
Width: 20 mm



C: 0 % Y: 100 %  
M: 43 % K: 13 %  
HEX: #DD9100



C: 0 % Y: 43 %  
M: 27 % K: 0 %  
HEX: #F0C789



C: 70 % Y: 69 %  
M: 63 % K: 81 %  
HEX: #26251F

2

# ACCREDIA LOGO EXAMPLE USE

# RECOMMENDED



# FORBIDDEN



00998

COMPANY NAME



ISO 9001 : 2015  
Cert. no. xx/xxxx

3

**AJA**  
**EXCELLENCE**  
**SERIES**  
**CERTIFICATIONS**

# AJA EXCELLENCES



PANTONE  
1375 C

C: 0 % Y: 89 %  
M: 47 % K: 0 %

AJA Excellences standards, developed by experts and designed specifically for the Italian economic-legislative context, are owned by AJA Europe srl, partner/branch of the ACT group.

Please therefore refer to the first chapter of these regulations for the use of ACT logo. The logos of the individual schemes (X-Safe, X-Aequo, etc.) may not be reproduced separately from the ACT logo.

# AJA EXCELLENCES

# AJA EXCELLENCES



## EXAMPLE



## SIMILARLY, FOR THE OTHER STANDARD EXCELLENCES

**X-AEQUO**

**X-SAFE**

**X-GATE**

**X-TRICATE**

**X-ULT**

**X-RAY**

**X-POLL**

**X-231**

# RECOMMENDED



Cert. no. EXC/xx/xxxxx

**COMPANY NAME**

# FORBIDDEN



**COMPANY NAME** X-SECURITY



Unit 5 Middle Bridge  
Business Park Bristol  
Road Portishead Bristol  
BS20 6PN UK



+44 (0) 1275 397 423



uk@acubetic.com



www.acubetic.com